

### SECTION 1: Identification

#### 1.1. Product identifier

Product form : Mixtures  
 Product name : Oxygen (23.51% - 99.99%) in Helium  
 Product code : CA-2002-01546  
 Product group : Specialty Gases

#### 1.2. Recommended use and restrictions on use

Recommended uses and restrictions : Test/Calibration gas

#### 1.3. Supplier

Air Liquide Canada Inc.  
 1250, René Lévesque West Blvd. Suite 1700  
 H3B 5E6 Montreal, QC - Canada  
 T 1-800-817-7697  
[www.airliquide.ca](http://www.airliquide.ca)

#### 1.4. Emergency telephone number

Emergency number : 514-878-1667

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS-CA)

Oxidising Gases, Category 1 H270  
 Gases under pressure : Compressed gas H280

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS-CA labelling

Hazard pictograms (GHS-CA) :



Signal word (GHS-CA) : Danger

Hazard statements (GHS-CA) : H270 - May cause or intensify fire; oxidiser.  
 H280 - Contains gas under pressure; may explode if heated.

Precautionary statements (GHS-CA) : P370+P376 - In case of fire: Stop leak if safe to do so  
 P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.  
 P403 - Store in a well-ventilated place.  
 P220 - Keep away from clothing and other combustible materials.  
 P244 - Keep valves and fittings free from oil and grease.  
 P202 - Do not handle until all safety precautions have been read and understood.  
 P280 - Wear eye protection, face protection, protective clothing, protective gloves.  
 P271 - Use only outdoors or in a well-ventilated area.  
 CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52 °C/125 °F  
 CGA-PG05 - Use a back flow preventive device in the piping  
 CGA-PG06 - Close valve after each use and when empty  
 CGA-PG10 - Use only with equipment rated for cylinder pressure  
 CGA-PG14 - Approach suspected leak area with caution  
 CGA-PG20 - Use only with equipment of compatible materials of construction and rated for cylinder pressure  
 CGA-PG21 - Open valve slowly  
 CGA-PG22 - Use only with equipment cleaned for oxygen service

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS-CA)

No data available

# Oxygen (23.51% - 99.99%) in Helium

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS-CA)
Oxygen	Liquid oxygen / Oxygen (liquid) / Oxygen, compressed / OXYGEN	(CAS-No.) 7782-44-7	23.51 - 99.99	Ox. Gas 1, H270 Press. Gas (Comp.), H280
Helium (Compressed)	Helium Helium, compressed / Helium gas	(CAS-No.) 7440-59-7	0.01 - 76.49	Press. Gas (Comp.), H280

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Adverse effects not expected from this product.  
First-aid measures after skin contact : Adverse effects not expected from this product.  
First-aid measures after eye contact : Adverse effects not expected from this product.  
First-aid measures after ingestion : Ingestion is not considered a potential route of exposure.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Adverse effects not expected from this product.  
Symptoms/effects after skin contact : Adverse effects not expected from this product.  
Symptoms/effects after eye contact : Adverse effects not expected from this product.  
Symptoms/effects after ingestion : Ingestion is not considered a potential route of exposure.  
Symptoms/effects upon intravenous administration : Not known.  
Chronic symptoms : Adverse effects not expected from this product.

#### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : If you feel unwell, seek medical advice. If breathing is difficult, give oxygen.

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

#### 5.2. Unsuitable extinguishing media

Unsuitable extinguishing media : Do not use water jet to extinguish.

#### 5.3. Specific hazards arising from the hazardous product

Fire hazard : The product is not flammable.  
Explosion hazard : Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.  
Hazardous combustion products : None

#### 5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions : In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Exposure to fire may cause containers to rupture/explode. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.  
Protection during firefighting : Standard protective clothing and equipment (e.g. Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate ventilation.  
Personal Precautions, Protective Equipment and Emergency Procedures : EVACUATE ALL PERSONNEL FROM AFFECTED AREA. Use appropriate protective equipment. If leak is on user's equipment, be certain to purge piping before attempting repairs. If leak is on a container or container valve contact the closest Air Liquide Canada location.

#### 6.2. Methods and materials for containment and cleaning up

For containment : Try to stop release if without risk.  
Methods for cleaning up : Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

# Oxygen (23.51% - 99.99%) in Helium

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Do not eat, drink or smoke when using this product.
Additional hazards when processed	: Do not pierce or burn, even after use. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Comply with applicable regulations.
Storage conditions	: Do not expose to temperatures exceeding 52 °C/ 125 °F. Keep container closed when not in use. Protect cylinders from physical damage; do not drag, roll, slide or drop. Store in well ventilated area.
Incompatible products	: None known.
Incompatible materials	: Flammable materials. Combustible materials. Reducing agents.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure exposure is below occupational exposure limits (where available). Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Consider the use of a work permit system e.g. for maintenance activities.
Environmental exposure controls	: Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.

#### 8.3. Individual protection measures/Personal protective equipment

##### Personal protective equipment:

Gloves. Safety glasses. Protective clothing. Safety shoes.

##### Hand protection:

Wear working gloves when handling gas containers.

##### Eye protection:

Wear safety glasses with side shields.

##### Skin and body protection:

Wear suitable protective clothing, e.g. lab coats, coveralls or flame resistant clothing.

##### Respiratory protection:

None necessary during routine operations. See Sections 5 & 6



##### Thermal hazard protection:

None necessary during routine operations.

##### Other information:

Wear safety shoes while handling containers.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Gas
Appearance	: Clear, colorless gas.
Colour	: Colourless
Odour	: Odourless
Odour threshold	: No data available

# Oxygen (23.51% - 99.99%) in Helium

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: Not applicable (non-flammable gas)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: See Section 2.1 and 2.2
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Relative density	: No data available
Solubility	: Water: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: Not applicable (non-flammable gas).
Oxidising properties	: Not combustible but enhances combustion of other substances. May cause or intensify fire; oxidiser.
Explosive limits	: Not applicable (non-flammable gas)

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity	: None known.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can form explosive mix with flammable materials. May react violently with reducing agents.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: Flammable materials. Combustible materials. Reducing agents.
Hazardous decomposition products	: Under normal conditions of storage and use hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### Oxygen (7782-44-7)

LC50 inhalation rat (ppm)	800000 ppm/4h
---------------------------	---------------

#### Helium (Compressed) (7440-59-7)

LC50 inhalation rat (ppm)	820000 ppm/4h
---------------------------	---------------

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity - Description	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

# Oxygen (23.51% - 99.99%) in Helium

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

##### Oxygen (7782-44-7)

Persistence and degradability No ecological damage caused by this product.

##### Helium (Compressed) (7440-59-7)

Persistence and degradability No ecological damage caused by this product.

#### 12.3. Bioaccumulative potential

##### Oxygen (7782-44-7)

Log Pow Not applicable for inorganic gases.

Bioaccumulative potential No ecological damage caused by this product.

##### Helium (Compressed) (7440-59-7)

Log Pow Not applicable for inorganic gases.

Bioaccumulative potential No ecological damage caused by this product.

#### 12.4. Mobility in soil

##### Oxygen (7782-44-7)

Log Pow Not applicable for inorganic gases.

Ecology - soil No ecological damage caused by this product.

##### Helium (Compressed) (7440-59-7)

Log Pow Not applicable for inorganic gases.

Ecology - soil No ecological damage caused by this product.

#### 12.5. Other adverse effects

Effect on ozone layer : No known effects from this product.

GWPMix comment : No known effects from this product.

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Waste treatment methods : Contact supplier if guidance is required. Do not discharge into any place where its accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded.

Product/Packaging disposal recommendations : Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at [www.cganet.com](http://www.cganet.com) for more guidance on suitable disposal methods.

Ecology - waste materials : None known.

### SECTION 14: Transport information

#### 14.1. Basic shipping description

In accordance with TDG

#### Transportation of Dangerous Goods

UN-No. (TDG) : UN3156  
TDG Primary Hazard Classes : 2.2 - Class 2.2 - Non-Flammable, Non-Toxic Gas.  
TDG Subsidiary Classes : 5.1  
Transport Document Description : UN3156 Compressed gas, oxidizing, n.o.s., 2.2 (5.1)  
Proper Shipping Name : Compressed gas, oxidizing, n.o.s.

Hazard labels (TDG) : 2.2 - Non-flammable, non-toxic gases  
5.1 - Oxidizing substances



# Oxygen (23.51% - 99.99%) in Helium

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

TDG Special Provisions	: 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a)UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; (b)UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c)UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d)UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or (e)UN3249, MEDICINE, SOLID, TOXIC, N.O.S. An example in Canada is the "Food and Drugs Act". (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment: (a)UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b)UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS. SOR/2014-306
ERAP Index	: 3 000
Explosive Limit and Limited Quantity Index	: 0
Passenger Carrying Ship Index	: Forbidden
Excepted quantities (TDG)	: E0
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 75 L

### 14.2. Transport information/DOT - USA

#### Department of Transport

DOT NA no.	: UN3156
UN-No.(DOT)	: 3156
DOT Symbols	: G - Identifies PSN requiring a technical name
Transport Document Description	: UN3156 Compressed gas, oxidizing, n.o.s., 2.2
Proper Shipping Name (DOT)	: Compressed gas, oxidizing, n.o.s.
Contains Statement Field Selection (DOT)	: DOT_TECHNICAL - Proper Shipping Name - Technical (DOT)
Class (DOT)	: 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115
Division (DOT)	: 2.2
Hazard labels (DOT)	: 2.2 - Non-flammable gas 5.1 - Oxidiser



Dangerous for the environment	: No
DOT Special Provisions (49 CFR 172.102)	: A14 - This material is not authorized to be transported as a limited quantity or consumer commodity in accordance with 173.306 of this subchapter when transported aboard an aircraft.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 302
DOT Packaging Bulk (49 CFR 173.xxx)	: 314;315
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger vessels in which the limiting number of passengers is exceeded.
Other information	: No supplementary information available.

# Oxygen (23.51% - 99.99%) in Helium

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### 14.3. Air and sea transport

#### IMDG

UN-No. (IMDG)	: 3156
Proper Shipping Name (IMDG)	: Compressed gas, oxidizing, n.o.s.
Transport Document Description (IMDG)	: UN 3156 Compressed gas, oxidizing, n.o.s., 2.2 (5.1)
Class (IMDG)	: 2.2 - Non-flammable, non-toxic gases
Subsidiary risk (IMDG)	: 5.1

#### IATA

UN-No. (IATA)	: 3156
Proper Shipping Name (IATA)	: Compressed gas, oxidizing, n.o.s.
Transport Document Description (IATA)	: UN 3156 Compressed gas, oxidizing, n.o.s., 2.2
Class (IATA)	: 2.2 - Gases : Non-flammable, non-toxic
Subsidiary risk (IATA)	: 5.1

## SECTION 15: Regulatory information

### 15.1. National regulations

#### Oxygen (7782-44-7)

Listed on the Canadian DSL (Domestic Substances List)

#### Helium (Compressed) (7440-59-7)

Listed on the Canadian DSL (Domestic Substances List)

### 15.2. International regulations

#### Oxygen (7782-44-7)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Helium (Compressed) (7440-59-7)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

## SECTION 16: Other information

Date of issue : 10/10/2017

Full text of H-statements:

H270	May cause or intensify fire; oxidiser.
H280	Contains gas under pressure; may explode if heated.

SDS Canada (GHS)

*THE INFORMATION, RECOMMENDATIONS AND DATA CONTAINED IN THIS DOCUMENT ARE INTENDED TO BE USED BY PROPERLY TRAINED AND QUALIFIED PERSONNEL ONLY AND AT THEIR SOLE RISKS AND DISCRETION. THE INFORMATION, RECOMMENDATIONS AND DATA HEREIN CONTAINED ARE DERIVED FROM SOURCES WHICH WE BELIEVE TO BE RELIABLE. HOWEVER, AIR LIQUIDE CANADA INC. MAKES NO REPRESENTATION AND GIVES NO WARRANTY OF ANY KIND WHATSOEVER WITH RESPECT TO THEIR ACCURACY OR COMPLETENESS AND ASSUMES NO LIABILITY FOR DAMAGES OR LOSS ARISING DIRECTLY OR INDIRECTLY FROM THEIR USE, WHETHER PROPER OR IMPROPER.*